HELVETICA PHYSICA ACTA

VOLUMEN 65, 1992

CONTENTS – INHALTSVERZEICHNIS – TABLE DES MATIÈRES

Fascicle 1
4. 2. 1992

Epifanio, G.., Trapani, C., and Todorov, T.S.: Complete sets of compatible non selfadjoint observables 1
Sacchetti, A.: Asymptotic expansion of the Stark-Wannier states 11
Keller, G., Kopper, C., and Salmhofer, M.: Perturbartive renormalization and effective Lagrangians in Φ^4_4 32
Grübl, G., and Vogl, R.: Unitary time evolution for irregular external field problems 53
Collet, P., Eckmann, J.-P., and Epstein, H.: Diffusive repair for the Ginzburg-Landau equation 56
Pillet, C.-A.: Stability of needle-crystals in the symmetric model of solidification . . 93
Dardel, B., Malterre, D., Grioni, M., Weibel, P., Baer, Y., and Schlenker, C.: High-resolution photoemission in the quasi-unidimensional $K_{03}.MoO_3$compound 109
Hürlimann, E., Bisang, U., and Bilgram, J.H.: Xenon dendrites 111
Sirringhaus, H., Stalder, R., Schwarz, C., and Känel, H. von: Surface stucture of ultrahin, epitacial $CoSi_2$ films in Si (100) observed by scanning tunneling microscopy 113
Fukami, T., Yamamoto, T., Yamasaki, Y., Miyoshi, K., Soares, V., Horie, Y., Ichikawa, F., Nakano, H., Aomine, T., and Rinderer, L.: Critical current and activation energy due to two dimensional layered structure in $Bi_2Sr_2CaCu_2O_8$+$_y$film 115
Fukami, T., Holguin, E., Nakano, H., Schenk, K., and Rinderer, L.: Preparation of $(Bi_{1-x}Pb_x)_2Sr_2Ca_2Cu_3O_{10}$ films by RF-sputtering with compound powder target of stoichiometric composition 117
Chopard, B., Cornhell, S., and Droz, M.: On the role of fluctuations for reaction-diffusion phenomena 119
Mendik, M., Ospelt, M., Känel, H. von, and Wachter, P.: The elastic constants of thin $Si_{1-x}Ge_x$ films determined by Brillouin scattering 121
Haddab, Y., Py, M.A., Shi, Z.M., Bühlmann, H.-J., and, Ilegems, M.: Extraction of Mosfet parameters at low drain bias 123
Ohle, F., Brede, M., and Eckelmann, H.: No feedback control of a Karman Vortex street 125
Egli, W., and Eliasson, B.: Numerical calculation of breakdown channel formation in silent discharges in CO_2 127
Eliasson, B., Simon, F.G., Egli, W., and Brunner, P.: Hydrogenation of Co_2 in a silent discharge 129

Fascicle 2/3
8. 4. 1992

MacDonald, A.H.: Facts and fantasies in FQHE theory 133
Tsui, D.C.: Two recent experiments on the fractional quantized Hall effect 143
Thouless, D.J.: Edge voltages and distributed currents in the quantum Hall effect . 151
Haldane, F.D.M.: Edge states in the quantum Hall effect as generalized Fermi surface singularities 152
Willett, R.L., Paalanen, M.A., Pfeiffer, L.N., West, K.W., and Ruel, R.R.: Surface acoustic wave studies of the fractional quantum Hall regime 153
Khmelnitskii, D.E.: Quantum Hall effect without Landau quantization 164
Ginzburg, V.L.: Theories of superconductivity (a few remarks) 173
Beasley, M.R.: Two-dimensional superconductivity in ultrathin disordered thin films 187
Hebard, A.F., and Palaanen, M.A.: Quenching of superconductivity in disordered thin films by phase fluctuations 197
Minnhagen, P.: Superconductivity in quasi-two-dimensional systems: theoretical aspects 205
Fischer, Ø., Brunner, O., Antognazza, L., Triscone, J.M., and Miéville, L.: Superlattices of HTS cuprates: investigations of 2D ultrathin layers and the crossover to 3D anisotropic films 215
Halperin, B.I.: Anyons in the quantized Hall effect and in models of high temperature superconductors 218
Lobb, C.J.: Josephson junction arrays and superconducting wire networks 219
Fazio, R., Otterlo, A. van, Schön, G., Zant, H.S.J. van der, and Mooij, J.E.: Charge-vortex duality in Josephson junction arrays 228
Lieb, E.H.: The flux-phase problem on planar lattices 247
Zhang, S.C.: SO(4) symmetry of the Hubbard model and its experimental consequences 256
Dopf, G., Wagner, J., Dieterich, P., Muramatsu, A., and Hanke, W.: Quantum-Monte-Carlo studies of superconductivity in strongly correlated systems 257
Poilblanc, D.: Exact diagonalization studies of 2D quantum models 268
De Raedt, H.: Quantum Monte Carlo simulations: algorithms, limitations and applications 278
Zuber, J.-B.: Conformal field theory and statistical mechanics 289
Spencer, T.: Mathematical survey of some two dimensional dynamical systems . . . 290
Duplantier, B.: Statistical mechanics on a 2D-random surface 291
Williams, F.I.B.: Experiments on melting in classical and quantum two dimensional electron systems 297
Enz, C.P.: After-dinner speech on board the ship "Ville de Neuchâtel" 307
Bever, T., Wieck, A.D., Klitzing, K.v., and Ploog, K.: Point-contact spectroscopy on tunabel constrictions in GaAs 313
Riess, J.: Violation of Ehrenfest's theorem in particle dynamics of quantum Hall systems 315
Huckestein, B., and Schweitzer, L.: Multifractality and scaling in disordered 2-D Landau levels 317
Hansen, E.B., and Bruus, H.: Hysteresis effects in mesoscopic rings in the quantum Hall regime 319

Kokkedee, J.A., Holweg, P.A.M., Caro, J., Verbruggen, A.H., Jansen, A.G.M., Radelaar, S., and Wyder, P.: Quantum fluctuations in the transmission of a ballistic metallic constriction 321
Buhmann, H., Stepniewski, R., Martinez, G., and Etienne, B.: Excitonic recombination of donor bound excitons in selectively doped MQW under high magnetic fields 323
Scheuzger, P., Neuenschwander, J., Joss, W., and Wyder, P.: The magnetoconductance of the 2d system of electrons on liquid helium in the extreme quantum limit 325
Srivastava, V.: Quenching of the Hall effect in two dimensional narrow systems . . 327
Berz, M.W., Houdré, R., Andreani, L.C., Steigmeier, E.F., and Reinhart, F.-K.: Exchange and polariton effects for excitions in $Al1_xGA_xAs$-GaAs Quantum Wells 329
Kent, A.J., McKitterick, D.J., Hawker, P., and Henini, M.: Imaging the current distribution in the Quantum Hall effect 331
Benedict, K.A.: Electron phonon interactions in a disordered 2d electron gas in a magnetic field 333
Pasquier, C., Glattli, D.C., Meirav, U., Williams, F.I.B., Jin, Y., and Etienne, B.: Coulomb blockade in a 2D electron gas 335
Meissner, G.: Incompressible quantum liquid versus two-dimensional electron solid . 337
Therez, F., and Da Silva, M.: Two-dimensional channel from $Ga_{0.65}A1_{0.35}As$-GaAs undoped heterojunction 339
Dorozhkin, S.I., Dolgopolov, V.T., Kravchenko, G.V., Shashkin, A.A., and Klitzing, K. von: The role of edge currents in dissipative transport at strong magnetic fields 341
Cros, A., Cantarero, A., Trallero-Giner, C., and Cardona, M.: Resonant Raman scattering in Quantum Wells under high magnetic fields 343
Kasner, M., and Apel, W.: FQHE in the disk geometry: exact diagonalization for few electrons and extrapolation to the bulk limit 345
Berg, A., Dobers, M., and Klitzing, K.v.: Determination of electron exchange energy in a 2DES by nuclear magnetic relaxation 347
Gurzhi, R.N., Kalinenko, A.N., and Kopeliovich, A.I.: On the theory of kinetic properties of perfect two-dimensional conducting systems 349
Gurzhi, R.N., Kalinenko, A.N., and Kopeliovich, A.I.: Hydrodynamic effects in electric conductivity of two dimensional metals 351
Vašek, P., and Cukr, M.: Magnetotransport in 2D systems in parallel and tilted magnetic fields 353
Smrčka, L.: Theory of 2D conductivity in almost parallel magnetic fields: the role of the third dimension 355
Svoboda, P., Středa, P., Nachtwei, G., and Cukr, M.: Current dependence of the Shubnikov-de Haas peaks in $GaAs-Al_xGa_{1-x}As$ heterostructures 357
Grodnensky, I., Heitmann, D., and Klitzing, K.v.: Non-locality of the gapless plasma excitations in the QHE 359
Moroz, A.: Universal dependence of eigenvectors of tight-binding models on Bloch momenta 361
Allmen, P., von: Plasmaron excitation in a 2D electron gas 363
Gat, G., Kovner, A., Krasnitz, A., Rosenstein, B., and Schakel, A.M.J.: Magnetically catalyzed superconductivity in 2D 367

Kovner, A., and Rosenstein, B.: What symmetry is broken in the superconductor – normal phase transition? 369
Lee, H.C., Newrock, R.S., and Mast, D.B.: The effects of inherent bond disorder on the rf properties of SNS Josephson junction arrays 371
Bortner, L.J., Lee, H.C., Newsrock, R.S., and Mast, D.B.: Self-field effects and subharmonic Shapiro steps in Josephson junction arrays 373
White, W.R., Hahn, M.R., Kapitulnik, A., and Beasley, M.R.: Vortex motion in type II superconductors of reduced dimensionality 375
Otterlo, A. van, Bobbert, P., and Schön, G.: Charge dynamics in junction arrays . 379
Elion, W.J., van der Zant, H.S.J., and Mooij, J.E.: Quantum phase transitions in Josephson junction arrays 381
Zant, H.S.J., van der, Fritschy, F.C., Orlando, T.P., and Mooij, J.E.: Propagating vortex beams in Josephson-junction arrays 383
Eikmans, H., and Himbergen, J.E. van: Observing an Ising transition in Josephson-junction arrays 385
Bucher, B., and Wachter, P.: Optical response of CuO_2-plane and CuO-chain in YBaCuO 387
Lerch, Ph., Leemann, Ch., Théron, R., and Martinoli, P.: Zero applied force magnetic flux noise in Josephson junction arrays 389
Meyer, R., Martinoli, P., Gavilano, J.L., and Jeanneret, B.: Vortex dynamics in superconducting fractal networks 391
Mandrus, D., Forro, L., Kendziora, C., and Mihaly, L.: Two dimensional electron localization in bulk single chrystals of $Bi_2Sr_2Ca_{1-x}Y_xCu_2O_8$ 393
Forro, L., Mandrus, D., Hartge, J., Koller, D., and Mihaly, L.: Giant tunneling anisotropy of a high temperature superconductor 395
Kent, A.J., and Chapman, S.: Imaging the current density in superconducting thin films 397
Papa, A.R.R.: Flux creep: the stochastic approach 399
Fukami, T., Yamamoto, T., Nishizaki, T., Horie, Y., Ichikawa, F., Soares, V., and Aomine, T.: Temperature dependence of critical current and activation energy due to layered structure in oxide superconductors 402
Maniv, T., Rom, A.I., Vagner, I.D., and Wyder, P.: 2D de Haas-van Alphen effect in the superconducting state 404
Chiidong, C., Delsing, P., Haviland, D.B., and Claeson, T.: Experimental investigation of two-dimensional arrays of ultrasmall Josephson junctions 406
Weber, H., and Jensen, H.J.: Crossover from three- to two-dimensional behavior of the vortex energies in layered XY-models for high T_c superconductors 408
Kovner, A., Rosenstein, B., and Gat, G.: Nonperturbatively renormalizable quantum field theories in 2+1 dimensions 411
Frick, M., Linden, W. von der, and Morgenstern, I.: Anharmonic phonons and electronic correlations in high-T_c superconductors: a quantum Monte Carlo study . 413
Heym, J., and Rainer, D.: Corrections to fermi liquid behaviour in D=2: DOS . . . 415
Fazio, R., Falci, G., and Gianquinta, G.: Monte Carlo simulation of the 1D-quantum roughening model – evidence of a KTB transition – 417
Psaltakis, G.C., and Papanicolaou, N.: Dynamics of spin and charge fluctuations in a t-J model 419
Martínez, G., and Horsch, P.: Dynamics of charge carriers in 2-D quantum antiferromagnets 421

Frésard, R., and Wölfle, P.: Slave boson approach to magnetic order in the Hubbard model 423
Fastenrath, U.: Critical behaviour at the metal-insulator transition in 2D systems with spin orbit scattering 425
Holz, A.: So(3)-σ model of doped two-dimensional spin-1/2 Heisenberg antiferro magnet 427
Zamora, M., Chiolero, A., Bagnoud, X., and Baeriswyl, D.: Order and fluctuations in coupled XY planes. 429
Dopf, G., Wagner, J., Dieterich, P., Muramatsu, A., and Hanke, W.: Single-particle spectrum for high-T_c superconductors: A numerical study 431
Putz, R., Dieterich, P., and Hanke, W.: Conserving approximation for the multi-band Hubbard model 433
Bormann, D., Schneider, T., and Frick, M.: Finite-size effects in the negative U Hubbard model 435
Fazekas, P., and Müller-Hartmann, E.: Ground state phase diagram of the two-dimensional Kondo lattice 437
Michielsen, K., and De Raedt, H.: Numerical study of a projected Hubbard model . 439
Meshkov, S.V.: The phase diagram of the Haldane chain mapped onto the surface roughening problem 441
Goldsheid, I.Ya., and Sorets, E.: Lyapunov exponents of the Schrödinger equation with quasi-periodic potential on a strip 443
Ramsak, A., and Prelovsek, P.: Singular dynamics of a fermion coupled to the planar antiferromagnet 446
Trimper, S.: Antiferromagnets in $2 + \varepsilon$ dimensions 448
Bulka, B.R.: Superconductivity of the mixed s and d-type symmetry in the t-J model 450
Kuzian, R.O., Barabanov, A.F., and Maksimov, L.A.: The hole excitation spectrum in CuO_2 plane 452
Krivnov, V.Ya., Ovchinnikov, A.A., and Cheranovskii, V.O.: Magnetic properties of the Hubbard model with infinite interaction 454
Feher, A., Stefányi, P., Záboj, R., and Shkorbatov, A.G.: Resonance (surface) phonon transport through point contacts 456
Azaria, P., Delamotte, B., and Mouhanna, D.: Low temperature properties of two dimensional frustrated quantum antiferromagnets 458
Nattermann, T., and Tang, L.-H.: Kinectic roughening in molecular-beam epitaxy . 463
Henkel, M.: Two-dimensional spin systems in a magnetic field close to criticality . . 465
Kawabata, C., Takeuchi, M., and Bishop, A.R.: Vortex and domain wall dynamics of 2d-XY model with in-plane magnetic field 467
Wu, F.Y.: Jones polynomial and the Potts model 469
Deville, G.: Dynamics of defects near melting of classical 2D electrons 471
Seshadri, R., and Westervelt, R.M.: Two-dimensional melting of hexativ magnetic bubble arrays 473
Bleher, P.M.: Statistical properties of 2D periodic Lorentz gas with infinite horizon . 475
Shenoy, S.R.: Is the Kosterlitz-Thouless trasition "exotic"? 477
Mehrotra, R., and Shenoy, S.R.: Vortices: collective variables for turbulence in Josephson arrays 479
Vallat, A., and Beck, H.: Frustrated XY model: continuity of the ground state energy in function of the frustration 482

Schmidt, A., and Schneider, T.: Crossover from two to three dimensions in the layered *xy*-model 484
Dardel, B., Grioni, M., Malterre, D., Weibel, P., and Baer, Y.: High resolution photoemission investigation of phase transitions in 1T-TaS_2 486
Kruithof, G.H., van Son, P.C., and Klapwijk, T.M.: Superconducting vortices and the two-dimensional electron gas 488
Shikin, V.: One electron dimple on a thin helium film 490
Korshunov, S.E.: Destruction of superconductivity on Josephson junction arrays by positional disorder 492
Abdullaev, F.Kh., and Umarov, B.A.: Chaotic dynamics of fluxons in large-area Josephson junctions 494
Gaididei, Y.B.: Soliton mechanism of optical anisotropy photoinduction in layered molecular structures 497
Ariosa, D., and Beck, H.: Vortex correction to the SCHA in the 2D-XY model . . 499
Perera, A., Penson, K.A., Schultze, U., and Moreau, M.: Long-time dynamics of two-dimensional fluid binary mixture in cellular automata models 501

Fascicle 4
10. 6. 1992

Khan, S., and Pearson, D.B.: Subordinacy and spectral theory for infinite matrices . 505
Martin, Ph.A., and Nenciu, G.: Perturbation theory for time dependent hamiltonians: rigorous reduction theory 528
Monti, F., and Sütő, A.: Heisenberg antiferromagnet on triangulated trees 560
Evtimova, E.N., and Georgiev, V.S.: Critical points of the "entropy"-like functional for the quantum distribution functions 596
LaFrance, P., Lehar, F., Loiseau, B., and Winternitz, P.: Antinucleon-nucleon scattering formalism and possible tests of CPT invariance 611

Fascicle 5
5. 8. 1992

Ivanov, Al.: Classical theories, atomicity and nonclassical theories 641
Sachs, I., and Wipf, A.: Finite temperature Schwinger model 652
Feldman, J., Magnen, J., Rivasseau, V., and Trubowitz, E.: An infinite volume expansion for many fermion Green's functions 679
Nicoleau, F.: Approximation semi-classique du propagateur d'un système électromagnétique et phénomène de Aharonov-Bohm 722
Helffer, B., and Sjöstrand, J.: Semiclassical expansions of the thermodynamic limit for a Schrödinger equation 748

Fascicle 6
2. 9. 1992

Zhou, Z.: Instability of SU (2) Einstein-Yang-Mills solitons and non-abelian black holes 767
Zenhausern, F., Eng, L.M., Adrian, M., Kasas, S., Weisenhorn, A.L., and Descouts, P.: A scanning force microscopy investigation of DNA adsorbed on mica . 820

Blunier, S., Zogg, H., Maissen, C., Tiwari, A.N., Overney, R.M., Haefke, H., and Kostorz, G.: Mechanisms of strain relaxation in epitaxial CaF2/Si(111) studied with atomic force microscopy 822
Reyl, C., Flepp, L., Badii, R., Parisi, J., Simonet, J., Holzner, R., and Brun, E.: Real-time control of chaos with high-dimensional embeddings 824
Finardi, M., Badii, R., Flepp, L., Parisi, J., Reyl, C., Holzner, R., and Brun, E.: Symbolic dynamical analysis of a heteroclinic crisis in the NMR-Laser 826
Repond, P., Marty, T., and Sigrist, M.W.: A continuously tunable CO_2laser for photoacoustic detection of trace gases 828
Blasberg, T., and Suter, D.: Lateral displacement of a laser beam by a precessing magnetic dipole 830
Suter, D., and Klepel, H.: Two-dimensional spectroscopy of 'forbidden' Raman transitions by laser-induced coherence transfer 832
Oehler, O., Kunz, S., and Wieland, J.: Incoupling of incoherent light in an infrared fiber 834
Rehwald, W.: Optimization of the front contact of solarcells 836
Jarlborg, T.: Possible mechanisms and effects of strong electron-phonon coupling in high T_c oxides 838
Barbiellini, B., Jarlborg, T., Gauthier, M., and Shukla, A.: Calculation of positron annihilation in high T_c copper oxides 840
Paschedag, N., Maric, Dj. M., and Meier, P.F.: Post-Hartree-Fock calculations of hyperfine properties for anomalous muonium in diamond 842
Maric, Dj.M., and Meier, P.F.: Passivation of acceptors in silicon by hydrogen or muonium:ab-initiocalculations of electric field gradients 844
Rubini, S., Dimitropoulos, C., Gotthardt, R., and Borsa, F.: Martensitic transformation in Ni-Al alloys by NMR 846
Bilgram, J.H., Bisang, U., and Hürlimann, E.: Integral parameters of xenon dendrites 848
Boyen, H.-G., Indlekofer, G., Taleb, A., Gampp, R., Cossy-Favre, A., Oelhafen, P., and Baumann, F.: Synchrotron radiation photoemission study on amorphous $Au_{30}Sb_{70}$ 850
Cossy-Favre, A., Boyen, H.-G., and Oelhafen, P.: Preparation and sputtering effects in amorphous Fe_xZr_{100-x} 852
Malterre, D., Grioni, M., Weibel, P., Dardel, B., and Baer, Y.: Inverse-photoemission in Kondo systems 854
Dardel, B., Malterre, D., Grioni, M., Weibel, P., and Baer, Y.: Photoemission and characterization of one-dimensional systems 856
Zurbuchen, Th.: Reflection of H Ly-alpha from rough surfaces 858
Maurer, S., Oelhafen, P., Gantenbein, P., Kania, P., Schelz, S., and Steiner, R.: Electronic structure of sputtered hydrogen free carbon films 860
Bommeli, F., Fukami, T., Holguin, E., and Rinderer, L.: Microstructure and electrical properties of Bismuth films prepared by RF sputtering 862
Lang, H.P., Haefke, H., Leemann, G., and Güntherodt, H.-J.: Surface structure of thick $YBa_2Cu_3O_{7-\delta}$ films 864
Lüthi, R., Overney, R.M., Meyer, E., Howald, L., Brodbeck, D., and Güntherodt, H.-J.: Measurements on Langmuir-Blodgett films by friction force microscopy . . 866
Howald, L., Lüthi, R., Meyer, E., Haefke, H., Overney, R., Gerth, G., Rudin, H., and Güntherodt, H.-J.: Ein bidirektionales Kraftmikroskop für Oberflächenuntersuchungen im Ultrahochvakuum 868

Eng, L.M., Fuchs, H., Jandt, K.D., and Petermann, J.: Chain folding of polyethylene observed by SFM 870
Haefke, H., Bürgler, D., Gerth, G., Howald, L., Meyer, E., Schwarz, U.D., Steiger, R., Tarrach, G., and Wiesendanger, R.: Micro- and nanostructures on silver halide surfaces. I. Preparation and characterization of AgBr Samples 872
Schwarz, U.D., Bohonek, J., Haefke, H., Jung, T.A., Meyer, E., Steiger, R., and Güntherodt, H.-J.: Micro- and nanostructures on silver halide surfaces. II. Morphology of photographic AgBr microcrystals 874
Gerth, G., Krohn, M., Howald, L., and Haefke, H.: Micro- and nanostructures on silver halide surfaces. III. Growth and structure of vapour-deposited AgBr thin films 876
Goudsmit, P.F.A., Leisi, H.J., and Matsinos, E.: A new pion-nucleon interaction model 878
Binz, R., van den Brandt, B., Büchle, R., Daum, M., Demierre, Ph., Franz, J., Gaillard, G., Hamann, N., Hess, R., Konter J. A., Lechanoine-Leluc, C., Lehar, F., Mango, S., Peschina, R., Rapin, D., Rössle, E., Schmelzbach, P. A., Schmitt, H. and Todenhagen, R.: Spin correlations in neutron-proton scattering 880
Reimann, P., and Talkner, P.: Continuous-time limit for maps with colored noise . . 882
Simonius, M.: Probability and objective events in quantum mechanics 884

Fascicle 7
14. 10. 1992

Lozada, A., De Sarrazin, G., and Torres, P.L.: Complete sets of commuting observables and irreducible sets of observables 887
Aaberge, T.: A Lorentz covariant description of the classical radiation field 898
Donev, S.: On the description of single massless quantum objects 910
Gaeta, G.: Michel's theorem and critical sections of gauge functionals 922
Honegger, R., and Rieckers, A.: First order coherent Boson states 965
Hilke, M., and Flores, J.C.: Diffusion in the kicked quantum rotator by random corrections to a linear and sine field 985

Fascicle 8
20. 12. 1992

Maggiore, N., and Provero, P.: Chiral current algebras in three-dimensional BF-theory with boundary 993
Blatter, M.: Fierz transformation and dimensional regularization 1011
Duffield, N.G., and Werner, R.F.: Local dynamics of mean-field quantum systems . 1016
Maes, C., and Vande Velde, K.: Defining relative energies for the projected Ising measure 1055
Chetouani, L., Guechi, L., and Hammann, T.F.: Algebraic treatment of the Morse potential 1069
Parisse, B.: Résonances pour l'opérateur de Dirac-II 1077
Sassoli de Bianchi, M., and Martin, Ph.A.: On the definition of time delay in scattering theory 1119